Six Monthly EC Compliance Report

Period: April to September, 2018



MURGABEDA IRON ORE MINES

M/s. D. R. PATNAIK

At –Boneikela, PO - Joda,
Dist. – Keonjhar, Odisha – 758 034
www.miom-drp.com

M/S. D. R. PATNAIK

Mines Owner (A UNIT OF D.R.PATNAIK & ALTRADE GROUP)

Ref No: MIOM/DRP/EC/COMP/ SEIAA/2018

Date: 24.11.2018

Λo

The Member Secretary,

State Environment Impact Assessment Authority
Ministry of Environment, Forests & Climate Change,
Government of India,
Qr. No-5RF-2/1, Unit-IX
Bhubaneswar -751 022.

Sub: Environmental Clearance of Murgabeda Iron Ore Mining Project of Sri D.R. Patnaik. – Regarding six monthly compliance reports for the period April to September, 2018.

Ref: SEIAA Clearance letter no. SEIAA/342, dated. 04.09.2010

Dear Sir,

We would like to inform you that, mining activity in Murgabeda Iron Ore Mine of Shri D.R. Patnaik has been stopped since dated 18th April, 2010 for want of forest/statutory clearances", however, we are herewith submitting the six monthly EC compliance reports along with comprehensive data analysis. (Both in hard and soft copies along with e-mail) for the period of April to September, 2018 on the cited subject.

This for your kind information, please.

Yours sincerely,

For Murgabeda Iron Ore Mine, Shri D.R. Patnaik

Mines Manager

Mines Manager

Mutgabled Asrabolica

M/s D R Patnaik

ORISSA. BBSR
No. 6 -12 - 16 P

Copy to:

- 1. The Director (S), Regional Office (EZ), **Ministry of Environment**, **Forest & Climate Change**, A-31, Chandrasekharpur, Bhubaneswar.
- 2. The Chairman, **Central Pollution Control Board**, Parivesh Bhawan, CBD-Cum Office Complex, Delhi 110032
- 3. The Chairman, **State Pollution Control Board**, Orissa, A/118, Nilakantha Nagar, Unit VIII, Bhubaneswar 751012
- 4. The Regional Director, **Central Ground Water Board**, Government of India, South Eastern Region, Bhubaneswar 751030.

M/S. D. R. PATNAIK

Mines Owner (A UNIT OF D.R.PATNAIK & ALTRADE GROUP)

Ref No: MIOM/DRP/EC/COMP/ SEIAA/2018

Date: 24.11.2018

To

The Member Secretary,

State Environment Impact Assessment Authority Ministry of Environment, Forests & Climate Change, Government of India, Qr. No-5RF-2/1, Unit-IX Bhubaneswar -751 022.

Sub: Environmental Clearance of Murgabeda Iron Ore Mining Project of Sri D.R. Patnaik. – Regarding six monthly compliance reports for the period April to September, 2018.

Ref: SEIAA Clearance letter no. SEIAA/342, dated. 04.09.2010

Dear Sir,

We would like to inform you that, mining activity in Murgabeda Iron Ore Mine of Shri D.R. Patnaik has been stopped since dated 18th April, 2010 for want of forest/statutory clearances", however, we are herewith submitting the six monthly EC compliance reports along with comprehensive data analysis. (Both in hard and soft copies along with e-mail) for the period of April to September, 2018 on the cited subject.

This for your kind information, please.

Yours sincerely,

For Murgabeda Iron Ore Mine, Shri D.R. Patnaik

Mines Manager

Mines Manager
Mulfigabed Asia Annaik
M/s. D. R. Patnaik

PS MIO Regional 51023

Gastern Regional 51023

Eastern Regional 51023

A/6, Commercial Estate, Civil Township, Rourkela - 769004, Odisha Phone : +91-661-240-0139, 240-2227, 2401689, Fax : +91-661-240-2226, 240-1359



M/S. D. R. PATNAIK

Mines Owner (A UNIT OF D.R.PATNAIK & ALTRADE GROUP)

Ref No: MIOM/DRP/EC/COMP/ SEIAA/2018

Date: 24.11.2018

To The Member Secretary,

State Environment Impact Assessment Authority Ministry of Environment, Forests & Climate Change, Government of India,

Qr. Noj-5RF-2/1, Unit-IX Bhybaneswar -751 022.

Sub: Environmental Clearance of Murgabeda Iron Ore Mining Project of Sri D.R. Patnaik. – Regarding six monthly compliance reports for the period April to

September, 2018.

SEIAA Clearance letter no. SEIAA/342, dated. 04.09.2010 Ref:

Dear Sir,

We would like to inform you that, mining activity in Murgabeda Iron Ore Mine of Shri D.R. Patnaik has been stopped since dated 18th April, 2010 for want of forest/statutory clearances", however, we are herewith submitting the six monthly EC compliance reports along with comprehensive data analysis. (Both in hard and soft copies along with e-mail) for the period of April to September, 2018 on the cited subject.

This for your kind information, please.

Yours sincerely,

For Murgabeda Iron Ore Mine, Shri D.R. Patnaik

Mines Manager Mangabe Abadion Wanes M/s D R Patnaik

SI.No	SPECIFIC CONDITIONS	PRESENT STATUS
1	The applicant (Project Proponent)	The mine is not in operation since dated
	will take necessary measures for	18 th April 2010, for want of
	prevention, control and mitigation	forest/statutory clearance. However,
	of Air Pollution, water pollution,	the project proponent has recently
	noise pollution and land pollution	obtained the Stage-I Forest Clearance
	including solid waste management	Vide letter No.10 F (cons) 498/2011-
	as mentioned by him in form-I, final	17321/F & E dated 20.9.2014. Adequate
	EIA reports and Environment	measures have been taken by
	management Plan (EMP) in	providing retaining wall along with
	compliance with prescribed	garland drain all around the mines
	statutory norms and standards	dump areas to prevent mines runoff
		water to the nearby water bodies. Other
		necessary measures have also been
		implemented like gully plugs at regular
		intervals etc. There are no such OB
		dumps, the sub grade dumps are
		stabilized at ear marked area with
		proper sloping and terracing, for better
		stabilization. The enclosed photos are
		witnessing the above. The photo copy
		of the same is enclosed as photo-1 & 2.
		Dump details are given in Annexure - 1
2	The applicant will take necessary	Different projects has undertaken in
	steps for socio economic	consultation with "JANASADHANA" for
	development of the people of the	the socio-economic development of
	area on need based assessment for	the local people belongs to adjoining
	providing employment, education,	villages. A detailed implementation
	health care, drinking water and	status report of the same is given in
	sanitation, road and communication	Annexure - 2
	facilities. After a detailed primary	
	Socio-Economic survey in core zone	
	and buffer.	
3	The applicant will comply with the	We have full-filled the commitment
	points, concerns and issues raised	regarding the demands raised during
	by the people during public hearing	the public hearing and compliance are
	on 29th June, 2009 in accordance	made as per the commitments. All the
	with the commitments made by him	public hearing issues has been
	thereon.	complied as per the commitment in
		phased manner like development of

		peripheral activities i.e. Development/renovation of the Murga Mahadev temple, guard wall all along Nallah, established environment cell, education, drinking water, road, street light, livelihood etc.
4	The applicant will take statutory clearance/approval/permissions from the concerned authorities in respect of his project as and when required.	Necessary statutory clearances/approval/permissions from the concerned authorities have been obtained such as: Consent to Operate from SPCB, Ground Water Permission from CGWA, Hazardous waste authorization, approved mining plan from IBM, Forest clearance from MoEF, etc. Wildlife Conservation Plan (Copy attached to Annexure – 3), Forest Clearance Letter (Copy attached to Annexure – 4).
5	For post environmental clearance monitoring, the applicant will submit half-yearly compliance report in respect of the stipulated terms and conditions of this Environmental Clearance to the State Environmental Impact Assessment Authority (SEIAA), Orissa on 1st June and 1st December of each calendar year.	The Half yearly compliance report is being submitted herewith for the same .i.e. for the period October-17 to March-18. Earlier submitted details are attached as Annexure -5 .
6	The core zone should be monitored intensively with no. of stations as prescribed by CPCB, Delhi and unit of pollutant level should be expressed as NAAQ of CPCB, Delhi. The detail methodology adopted for analysis of samples shall be cleared indicated	The mine is not in operation since dated 18th April 2010, for want of forest/statutory clearance. There is provision of monitoring of AAQ in the core as well as buffer zone of the ML area. Monitoring of AAQ used to carry out every month except during monsoon. The monitoring report was carried as per NAAQs notifications made by the CPCB. The monitoring location is enclosed as Annexure -6 .

7	The proponent shall submit ground too thing baseline data on flora & fauna and CSR activities already carried out within three months to the SEIAA.	The site specific Wild Life Conservation Plan has been prepared by Mr. P.K. Sarangi, Rtd. IFS Officer & got approved by PCCF (Wildlife), Chief Wildlife Warden, Odisha. The project has estimated cost of Rs. 38.70 Lakhs which includes cost for both buffer zone i.e. Rs. 25.40 Lakhs and core zone i.e. Rs. 13.30 Lakhs for the conservation and management of wildlife. The project proponent has constructed check dam & check weirs to restrict the mixing of undesired substances in nearby streams & also established guard wall along the sides of Nallahs. The copy of the same is attached as Annexure – 3. A detailed CSR activity on the same got submitted.
8	Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.	There is only one mines pit located in the mines area and the project has maintained the 7.5 m width of safety zone around the ML area and following as per the approved mining plan/scheme.
9	Zero waste mining concept shall be implemented either by putting up palletization plant or disposal of low grade ores/fines to prospective buyers.	Due to the incorporation of better & efficient machineries and latest technologies, it is ensured that zero wastes will be coming out due to the mining activity. Steps have been initiated to work out in this context.
10	The following shall be implemented viz. (a) dump run off should be diverted into setting ponds until it is clear (b) adequate rain water harvesting and ground water recharging facilities should be developed in the core zone, (c) attempt should be made to achieve zero water balance.	 a. Dump run off are being diverted to mines pit area and balance quantity is channelized to settling pits with proper checks before disposal to natural water bodies. b. The project has implemented the roof top rain water harvesting structures and settling pits cum harvesting structures in the mines

		areas towards recharge of the ground water. c. Steps have been taken to achieve zero water balance like implementation STP for treatment of domestic effluent and reuse of the treated water for mines dust suppression and nearby gardening purposes. The photo of the same is enclosed as Photo 3 & 4
11	Maintenance of roads through which transportation of ores are undertaken shall be carried by the project regularly at its own cost.	The project has black topped the transportation approach village roads along with the other projects and regular maintenance of the main approach road along with the mines haul roads are being carried out. Photo no 05 .
12	Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amentias located nearest to sources of dust generation as applicable) and records shall be submitted to the SEIAA. Orissa.	As the project is not operation, there is no fugitive dust emission monitoring. Monitoring of AAQ was carried out in different locations of nearest human habitation in consultation with SPCB except during monsoon.
13	Transportation of ore shall be done by covering the trucks with tarpaulin or other suitable mechanism so that no spillage of ore /dust takes place.	The project has taken steps towards public roads to ensure that the trucks should not be overloaded during transportation; besides these trucks will be covered with tarpaulins while transportation of the iron ore. Time to time awareness program will be carried out for the operators/drivers etc. towards the same.

14	Rain water harvesting shall be undertaken to recharge the ground water source.	In this regard KRG Rain Water foundation, Chennai got engaged in consultation with Regional Director, CGWB, and Bhubaneswar and roof top rain water harvesting structures got implemented towards augmentation of ground water in the camp area. The photo of the same is enclosed above as above photo no. – 03 & 04.
15	Monitoring of ground and surface water quality shall be regularly conducted and records should be maintained and data shall be submitted regularly to SEIAA, Orissa.	The mine is not in operation since dated 18th April 2010, for want of forest/statutory clearance. There is provision of monitoring of the ground water quality at 5 locations namely, Bileipada village, Mahadev Nasa village, Deojhar village, Daldir & Murgabeda as well as monitoring of the surface water quality for surface water bodies i.e. Baitarini River, Suna River, Mahadev Nallah. The records were maintained. The registers are being maintained for monitoring parameters and results are very well within the norms.
16	The proponent shall ensure that no silt originating due to mining activity is transported in the surface water course. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo-textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.	The project has provided necessary precautionary measures like siltation pit towards protection of silt carry over into the nearby surface water bodies followed by retaining walls and garland drains at the toe of the dumps. Apart from that interference like guard wall all across the bank of the Nallah, a length of 267 M and check weirs at the strategic locations are provided. The above measures have been taken up to reduce flow of sediments to the 1st order stream such as Murga Mahadev Nallah and 2nd order streams such as Baitarini River and also other water

		bodies present in the buffer area. It has been taken based on the rain fall data of past 50 years from the IMD station i.e. Keonjhar and all the sump capacity have been designed by giving 50 % safety margin. The photos regarding the same have been enclosed as photo – 6.
17	Trenches / garland drains shall be constructed at foot of dumps to arrest silt from being carried to water bodies. Adequate number of check dams shall be constructed across seasonal or perennial Nallahs (if any) flowing through the ML area be arrested. De-silting at regular intervals shall be carried out.	We ensure that there should not be any silt materials mixed in nearby Nallah and all. To arrest silt from mines run off, a no. of catch drains and settling cum percolation pits have been constructed around the mines working areas. Nallah protection guard walls have also been constructed across the length of the Nallah. Time to time de-silting is followed before each monsoon. The photo of the same is attached as photo 06 & 07 .
18	Provisions shall be made for the housing the labors within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structures to be removed after the completion of the project.	There is no such construction activity inside the project area. They are being engaged from the adjoining villages. However, we have provided the site specific STP for treatment of domestic effluents and the treated water is being utilized for adjoining plantation & gardening purposes.
19	Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust etc. shall be carried out. The proponent shall engage a full time qualified doctor who is trained in	Initial Medical Examination & Periodical Medical Examination of the workers engaged in the project is being undertaken periodically for permanent and outsider employees along with the pre-medical examination of persons employed, who are engaged in the process of mining & are likely exposed to dust to observe any contractions due

occupational health. **Periodic** monitoring for exposure to respire able mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness program for workers on impact of mining on their health and precautionary measures like use of personal equipment's etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever reauired. Occupational Health center shall be established near the mine site itself.

to exposure to dust. This is being carried as per in compliance to Mines Act 1952 & rules 1956 and amendments there to. The various tests include PFT, X-Ray, and lung spirometry etc. Workers are provided with protective respiratory devices & time to time training on safety & health aspects is being provided. A full time qualified Occupational health doctor with provision of Occupational Health center has been provided near the mines area.

20

Shelter belt that is wind break of 15 m width and consisting of at least five tiers around the lease facing the human habitation. school/agricultural fields etc. (if any in the vicinity) in the safety zone/backfilled and reclaimed areas, around voids and roads shall be raised. Green belt development and selection of plant species shall be as per CPCB guidelines. Density of the trees has to be around 2500 plants per hectare, herbs and shrubs shall also form a part of afforestation program besides tree plantation. Help and guidance of local DFO may be sought in the matter. Details of year wise afforestation program including rehabilitation of mined out area shall be submitted to the SEIAA, Orissa within six months.

There is no such human habitation/schools etc. within the ML area. However, the project has covered all the sub-grade dumps with application of mixed grass seeds along the slopes to stabilize and also to reduce wash off in case of rains during monsoon.

A safety zone of 7.5 m width around the ML boundary is being maintained. In this regard, the project has covered the dumps with application of mixed grass seeds along the slopes to stabilize and also to reduce wash off in case of rains during monsoon.

The project has done **18, 400** numbers of saplings in and around the ML area till the reporting period 2017-18 in safety zone, & peripheral area of ML. Copy of the same is attached as **photo no. 08**

21	This environmental clearance is subjected to forest clearance under the Forest (Conservation) Act, 1980.	The lessee had applied for forest clearance over an area of 13.904 ha forest land including 1.214 Ha of safety zone for mining & its allied activities during 1st RML period under Forest Conservation Act 1980, for which it has got Stage-I Forest Clearance Vide letter No.10F (cons) 498/2011-17321/F & E on dated. 20.9.2014. Copy of the same is enclosed as Annexure -4 .
22	The mining operation shall be restricted to above ground water table and it should not intersect the groundwater table.	As such mining activity does not intersect ground water table of the area. The Ultimate working depth is 530 AMSL which is far above the ground water level and ground water level exists 510 A MSL. Therefore, intersection of ground water table of the ML area will not occur.
23	The top soil shall temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long (not more than 3 years). The topsoil shall be used for land reclamation and plantation.	There is no generation of the top soil during mining operations. In case of top soil generation generated in future, it will be stored in an earmarked area and necessary precaution will be taken to preserve its nutrient values so that it will be used for land reclamation and raising plantations.
24	The over burden (OB) generated during the mining operation shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time and its phase-wise stabilization shall be carried out. Proper terracing of OB dump shall be carried out so that the overall slope shall not exceed 28°. Back filling shall be done as per approved mining plan. Back filling to start from 3 rd year onwards of the	There is one sub-grade dump which has grade value more than 45 % of Fe i.e. marketable grade. The sub-grades are stacked in an identified area inside ML area by maintaining with proper slope. Dump is also developed with garland drain and retaining wall at the base. Plantation of native species of different varieties of plants of 18, 400 species has been planted over waste dumps, safety zone & peripheral area of ML till 2017-18. Proper care and survival of vegetation is

	mining operation and the entire quantity of waste shall be back-filled and liquidated within five years. There shall be no external OB dumps after the 6th year of the mining operations the backfilled area shall be afforested. Back-filling has to be done in a manner that it is restored to the normal ground level. Monitoring and management of Rehabilitee areas should continue till the vegetation is established and becomes self-generating compliance status to be reported to the appropriate authorities.	being carried. As per back filling, monitoring and management of rehabilitated area is concerned, we will abide by the conditions as per the approved mining scheme and progressive mine closer plan. Monitoring and management of rehabilitated areas will be continued until vegetation becomes self-sustaining.
25	The funds earmarked for the environment protection measures shall be judiciously utilized. Under no circumstances this funds shall be diverted for other purposes. Year wise expenditure for these funds should be reported to the SEIAA, Orissa.	The funds earmarked for environmental protection are being utilized for the same.
26	The critical parameters such as SPM, RSPM, and NO x in the ambient air within the impact zone, peak particle velocity at 300 m distance or within the nearest habitation, whichever is closure shall be monitored periodically. Further, quality of discharged water shall also be monitored [TDS, DO, pH and total suspended solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The circular no. J 20012/1/2006-1A.II	All the critical parameters are being monitored like AAQ, Water Quality etc. and the data of the same is being displayed on a display board.

	(M) dated 27.05.2009 issued by Ministry of Environment and forest, which is available on the website of the Ministry www.envfor.nic.in shall also be refereed in this regard for its compliance.	
27	A final mine closer plan along with details of Corpus Fund shall be submitted to the SEIAA 5 years in advance of final mine closure for approval.	The Project has submitted a Bank guarantee of Rs. 3, 84,450 /- (Three lakhs eighty four thousand four hundred fifty rupees only) for rehabilitation as a part of the management of the mines closure of the Project. It has been approved by IBM in the scheme of mining on 07.04.2011. A final mine closer plan along with detailed corpus fund will be submitted to the ministry of Environment & Forest 5 years in advance of final mine closure for approval.
28	The project proponent shall obtained necessary prior permission of the competent authorities for drawl of requisite quantity of water (Surface water and ground water) required for the project.	The project proponent has already obtained NOC for withdrawal of ground water from Central Ground Water Authority.
29	The above mentioned stipulated conditions shall be complied in time bound manner. Failure to comply with any of the conditions mentioned above may result in withdrawal of this environmental clearance and attract action under the provisions of Environmental Protection (EP) Act, 1986.	We are abiding by the said conditions. We are submitting six monthly EC compliance reports once in a six month as per the schedule. The details have been enclosed as Annexure 5 .

PHOTOS



Pic-1- Retaining wall constructed at the base of sub-grade dump



Pic-2- Dump Stabilization with with plantation



Pic-3: Settling Pond & Check Dam



Pic-4: Roof top rain water harvesting structure



Pic-5: Black Topped road for mineral dispatch



Pic-6: Guard wall along the Nallah



Pic-7: Check weir along the nallah



Pic-8: Plantation of S/z